





























## Methodology

This *Kaiser Health Tracking Poll* was designed and analyzed by public opinion researchers at the Kaiser Family Foundation led by Mollyann Brodie, Ph.D., including Liz Hamel, Sarah Cho, Claudia Deane, Carolina Gutiérrez, and Theresa Boston. The survey was conducted July 8 through July 13, 2010, among a nationally representative random sample of 1,504 adults ages 18 and older, including 406 adults ages 65 and older. Telephone interviews conducted by landline (1,100) and cell phone (404, including 125 who had no landline telephone) were carried out in English and Spanish by Princeton Survey Research Associates.

The margin of sampling error for the total sample is plus or minus 3 percentage points, for those ages 18 to 64 it is plus or minus 4 percentage points, and for those ages 65 and older it is plus or minus 6 percentage points. For results based on other subgroups, the margin of sampling error may be higher. Note that sampling error is only one of many potential sources of error in this or any other public opinion poll.

“VOL” indicates that a response was volunteered by respondent, not an explicitly offered choice.

Due to rounding, percentages may not add to 100.





**The Henry J. Kaiser Family Foundation**

Headquarters  
2400 Sand Hill Road  
Menlo Park, CA 94025  
Phone: (650) 854-9400 Fax: (650) 854-4800

Washington Offices and  
Barbara Jordan Conference Center  
1330 G Street, NW  
Washington, DC 20005  
Phone: (202) 347-5270 Fax: (202) 347-5274

**[www.kff.org](http://www.kff.org)**

This publication (#8084-C) is available on the  
Kaiser Family Foundation website at [www.kff.org](http://www.kff.org).

*The Kaiser Family Foundation is a non-profit private operating foundation, based in Menlo Park, California, dedicated to producing and communicating the best possible analysis and information on health issues.*