



HARVARD
School of Public Health

Toplines

NPR/Kaiser Family Foundation/Harvard School of Public Health

Children's OTC Cold Medicines: The Public, and Parents, Weigh In

December 2007

Methodology

The NPR/Kaiser Family Foundation/Harvard School of Public Health survey, *Children's OTC Cold Medicines: The Public, and Parents, Weigh In*, is part of a series of projects about health-related issues by NPR (National Public Radio), the Henry J. Kaiser Family Foundation, and the Harvard School of Public Health. Representatives of the three organizations worked together to develop the survey questionnaire and to analyze the results, with NPR maintaining sole editorial control over its broadcasts on the surveys. The survey research team included Mollyann Brodie, Ph.D., Claudia Deane, M.A., and Liz Hamel from the Kaiser Family Foundation; Professor Robert Blendon, Sc.D., and John Benson, M.A. of the Harvard School of Public Health; and Anne Gudenkauf, Joe Neel, Allison Aubrey, and Joanne Silberner from NPR.

Fieldwork was done by telephone Nov. 15 – 20, suspended for the Thanksgiving holiday, and then completed Nov. 25, 2007, among a nationally representative sample of 1,522 randomly selected respondents ages 18 and over, including an oversample of parents of young children, by ICR/International Communications Research. Interviews were conducted in English and Spanish. Sizes of the relevant populations and their associated margins of sampling error are:

| | <i>N</i> | <i>Margin of sampling error</i> |
|---------------------|----------|---------------------------------|
| Total population | 1,522 | +/- 3 percentage points |
| Parent of child <18 | 759 | +/- 5 percentage points |
| Parent of child <6 | 572 | +/- 5 percentage points |

For results based on smaller subsets of respondents the margin of sampling error is somewhat higher.

Please note: (1) Table percentages may not add to 100% due to rounding. (2) Values less than 0.5% are indicated by an asterisk (*). (3) "Vol." indicates that a response was volunteered by the respondent and not an explicitly offered choice. (4) Sampling error is only one of many potential sources of error in this or any other public opinion poll.

(INTERVIEWER READ) My first question is about over-the-counter medicines. These are drugs that you can buy without a prescription, like cough medicines, or painkillers like aspirin, Motrin or Tylenol. Over-the-counter drugs do NOT include vitamins and herbal medicines.

1. Overall, how confident are you in the safety of over-the-counter drugs sold in the United States? Would you say you are very confident, somewhat confident, not too confident, or not at all confident?

| Total | Parents | Parents of child <6 | |
|--------------|----------------|-------------------------------|----------------------|
| 41 | 40 | 34 | Very confident |
| 43 | 48 | 50 | Somewhat confident |
| 8 | 7 | 11 | Not too confident |
| 5 | 5 | 5 | Not at all confident |
| 2 | 1 | 1 | Don't know |
| * | -- | -- | Refused |

(INTERVIEWER READ) As you may know, the Food and Drug Administration, or FDA, is the federal agency responsible for regulating over-the-counter medicines sold in the U.S.

2. One of the FDA's main roles is to make sure that over-the-counter drugs are safe for consumer use. Do you think that the FDA should also be in charge of determining whether over-the-counter medicines are effective, pulling drugs from the market if they determine they don't work well, or do you think that consumers and their doctors should decide for themselves whether over-the-counter medicines seem effective for them?

| Total | Parents | Parents of child <6 | |
|--------------|----------------|-------------------------------|--|
| 43 | 43 | 45 | The FDA should also be in charge |
| 51 | 51 | 50 | Consumers and their doctors should decide for themselves |
| 6 | 5 | 4 | Don't know |
| * | * | 1 | Refused |

(INTERVIEWER READ) Now thinking specifically about over-the-counter medicines that are targeted for use by children...

3. Overall, how confident are you in the safety of children's over-the-counter drugs sold in the United States? Would you say you are very confident, somewhat confident, not too confident, or not at all confident?

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|----------------------|
| 22 | 25 | 21 | Very confident |
| 42 | 48 | 49 | Somewhat confident |
| 19 | 15 | 16 | Not too confident |
| 12 | 11 | 13 | Not at all confident |
| 5 | 1 | 1 | Don't know |
| * | -- | -- | Refused |

4. Do you think that pharmaceutical companies do enough testing to ensure that over-the-counter drugs for children are safe and effective, or do you think they do not do enough testing on these drugs?

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|--------------------------|
| 35 | 40 | 37 | Do enough testing |
| 52 | 48 | 53 | Do not do enough testing |
| 12 | 11 | 10 | Don't know |
| 1 | * | 1 | Refused |

(ROTATE VERBIAGE IN PARENS)

5. As far as you know, do pharmaceutical companies test over-the-counter drugs for children (more thoroughly) than they test similar drugs for adults, (less thoroughly), or about the same amount?

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|-----------------------|
| 12 | 11 | 14 | More thoroughly |
| 15 | 14 | 14 | Less thoroughly |
| 57 | 61 | 57 | About the same amount |
| 17 | 14 | 15 | Don't know |
| * | * | * | Refused |

6. Are you the parent of any children under age 18 living at home, or not?

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|------------|
| 36 | 100 | 100 | Yes |
| 64 | -- | -- | No |
| -- | -- | -- | Don't know |
| -- | -- | -- | Refused |

7. Are any of your children now living with you... (INSERT FIRST ITEM)? Are any of them (INSERT NEXT ITEM)?
 (INTERVIEWER NOTE: IF RESPONDENT IS CLEAR ON CHILDREN'S AGES, I.E. "I have two children aged 3 and 5", ENTER CODE 1 IN APPROPRIATE ITEM AND ENTER CODE 2 FOR OTHER WITHOUT ASKING)

- a. Under age 2
- b. At least two years old but under 6 years old
- c. At least 6 years old but under 12 years old
- d. At least 12 years old but under 18 years old

6/7. Combo Table based on total respondents

| Total | Parents | Parents of child <6 | |
|-----------|------------|---------------------|-------------------------------|
| 36 | 100 | 100 | Parent |
| 17 | 48 | 100 | Any children age 0 to under 6 |
| 8 | 23 | 48 | Any children under age 2 |
| 14 | 39 | 80 | Any children age 2 to under 6 |
| 18 | 52 | -- | No children age 0 to under 6 |
| 64 | -- | -- | Not a parent |
| -- | -- | -- | Don't know |
| -- | -- | -- | Refused |

(SCRAMBLE ITEMS)

8. Please tell me how much you trust each of the following sources to provide accurate information about the safety and effectiveness of over-the-counter medicines for children. (First,) what about (INSERT)?
 (READ FIRST TIME, THEN READ FOR EVERY 3RD ITEM; ALWAYS READ FOR ITEM c: Do you trust them a lot, somewhat, not too much, or not at all to provide accurate information about over-the-counter medicines for children?)

Based on total parents (N = 759)

| | Parents | | | | | |
|--|-----------|-----------|--------------|------------|------------|----------|
| | A lot | Some | Not too much | Not at all | Don't know | Refused |
| a. Your child's doctor | 76 | 21 | 3 | * | * | -- |
| b. Your pharmacist | 58 | 34 | 6 | 1 | 1 | * |
| c. Your family and friends | 29 | 47 | 15 | 8 | 1 | -- |
| d. The FDA – that is, the Food and Drug Administration | 29 | 55 | 9 | 6 | 1 | -- |
| e. Advertisements for over-the-counter medicines | 4 | 41 | 29 | 26 | * | * |
| f. The information about the product included in packages of over-the-counter medicine | 32 | 53 | 10 | 5 | * | -- |
| g. National organizations of pediatricians | 41 | 45 | 6 | 4 | 4 | * |

Based on total parents with at least one child under age 6 (N = 572)

| Parents of child <6 | Confidence level | | | | | |
|--|------------------|------|--------------|------------|------------|---------|
| | A lot | Some | Not too much | Not at all | Don't know | Refused |
| a. Your child's doctor | 71 | 25 | 2 | 1 | * | -- |
| b. Your pharmacist | 50 | 41 | 6 | 2 | 1 | * |
| c. Your family and friends | 24 | 49 | 17 | 9 | 1 | -- |
| d. The FDA – that is, the Food and Drug Administration | 29 | 55 | 11 | 4 | 1 | -- |
| e. Advertisements for over-the-counter medicines | 3 | 42 | 28 | 26 | * | * |
| f. The information about the product included in packages of over-the-counter medicine | 27 | 55 | 12 | 5 | * | -- |
| g. National organizations of pediatricians | 41 | 47 | 4 | 4 | 3 | 1 |

9. Last time you bought an over-the-counter drug that your child had never taken before, how confident were you that you had enough information about the drug? Would you say very confident, somewhat confident, not too confident, or not at all confident?

| Parents | Parents of child <6 | Confidence level |
|--------------|---------------------|----------------------|
| 33 | 29 | Very confident |
| 49 | 52 | Somewhat confident |
| 11 | 11 | Not too confident |
| 3 | 5 | Not at all confident |
| 3 | 2 | Don't know |
| 1 | 1 | Refused |
| N=759 | N=572 | |

10. Have you ever used over-the-counter cold or cough medicines for your children under two, or not?

Based on total parents of children under 2 (N = 254)

| Parents of child <2 | | Response |
|---------------------|--|------------|
| 56 | | Yes |
| 42 | | No |
| 2 | | Don't know |
| * | | Refused |

- 10a. Has your child's doctor ever specifically recommended that you use an over-the-counter cold or cough medicine for your children under two, or not?

Based on total parents of children under 2 (N = 254)

| Parents of child <2 | | Response |
|---------------------|--|------------|
| 45 | | Yes |
| 52 | | No |
| 3 | | Don't know |
| -- | | Refused |

11. Thinking about your children aged 2 to under 6, have you ever used over-the-counter cold or cough medicines for them since they turned two, or not?

Based on total parents of children 2 to under 6 (N = 473)

Parents of child 2 to <6

| | |
|-----------|------------|
| 79 | Yes |
| 20 | No |
| 1 | Don't know |
| -- | Refused |

- 11a. Has your child's doctor ever specifically recommended that you use an over-the-counter cold or cough medicine for your children aged two to under six, or not?

Based on total parents of children 2 to under 6 (N = 473)

Parents of child 2 to <6

| | |
|-----------|------------|
| 64 | Yes |
| 33 | No |
| 3 | Don't know |
| -- | Refused |

(SCRAMBLE; ITEM c SHOULD ALWAYS BE LAST)

12. For each, tell me if this is a major reason, a minor reason or not a reason why you have used over-the-counter cold or cough medicines for your children: What about (READ ITEM)?

Based on total parents of children under 6 who have ever used OTC cold or cough medicines (N = 439)

| | Parents of child < 6 | | | | |
|--|--------------------------------|--------------|--------------|------------|---------|
| | Major reason | Minor reason | Not a reason | Don't know | Refused |
| a. To help your child sleep better | 34 | 28 | 38 | * | -- |
| b. To relieve your child's cold symptoms, including coughing | 78 | 17 | 4 | * | -- |
| c. To make sure that you, as a parent, get some sleep | 10 | 24 | 66 | * | -- |

13. Would you say you understand whether over-the-counter cold and cough medicines are safe and effective for use in your own children, or would you say you are confused about this?

| Parents | Parents of child <6 | |
|----------------|-------------------------------|------------|
| 64 | 61 | Understand |
| 34 | 37 | Confused |
| 2 | 2 | Don't know |
| * | * | Refused |
| N=759 | N=572 | |

14. In your own view, how effective are children's over-the-counter cold and cough medicines in relieving cold symptoms for (INSERT): very effective, somewhat effective, not too effective, or not at all effective?
(INTERVIEWER NOTE: This question is asking about children generally, not necessarily about your own children)

Based on total parents (N = 759)

| Parents | Very effective | Somewhat effective | Not too effective | Not at all effective | Don't know | Refused |
|--|----------------|--------------------|-------------------|----------------------|------------|---------|
| a. Children under age 2 | 13 | 53 | 18 | 9 | 7 | * |
| b. Children age two to under six years old | 16 | 60 | 12 | 5 | 7 | * |

Based on total parents with at least one child under age 6 (N = 572)

| Parents of child <6 | Very effective | Somewhat effective | Not too effective | Not at all effective | Don't know | Refused |
|--|----------------|--------------------|-------------------|----------------------|------------|---------|
| a. Children under age 2 | 14 | 52 | 16 | 10 | 7 | * |
| b. Children age two to under six years old | 18 | 60 | 10 | 4 | 8 | * |

15. In your own view, how effective are children's over-the-counter cold and cough medicines in helping (INSERT) get a good night's sleep: very effective, somewhat effective, not too effective, or not at all effective?
(INTERVIEWER NOTE: This question is asking about children generally, not necessarily about your own children)

Based on total parents (N = 759)

| Parents | Very effective | Somewhat effective | Not too effective | Not at all effective | Don't know | Refused |
|--|----------------|--------------------|-------------------|----------------------|------------|---------|
| a. Children under age 2 | 20 | 47 | 13 | 10 | 10 | * |
| b. Children age two to under six years old | 23 | 52 | 11 | 6 | 8 | * |

Based on total parents with at least one child under age 6 (N = 572)

| Parents of child <6 | Very effective | Somewhat effective | Not too effective | Not at all effective | Don't know | Refused |
|--|----------------|--------------------|-------------------|----------------------|------------|----------|
| a. Children under age 2 | 17 | 47 | 13 | 14 | 9 | * |
| b. Children age two to under six years old | 18 | 53 | 11 | 7 | 9 | 1 |

16. In your own view, how safe are children's over-the-counter cold and cough medicines for (INSERT)? Would you say...?
 (INTERVIEWER NOTE: This question is asking about children generally, not necessarily about your own children)

Based on total parents (N = 759)

| | Parents | | | | | |
|--|----------------|---------------|--------------|-----------------|------------|---------|
| | Very safe | Somewhat safe | Not too safe | Not at all safe | Don't know | Refused |
| a. Children under age 2 | 19 | 47 | 19 | 12 | 3 | -- |
| b. Children age two to under six years old | 25 | 56 | 11 | 5 | 3 | * |

Based on total parents with at least one child under age 6 (N = 572)

| | Parents of child <6 | | | | | |
|--|-------------------------------|---------------|--------------|-----------------|------------|---------|
| | Very safe | Somewhat safe | Not too safe | Not at all safe | Don't know | Refused |
| a. Children under age 2 | 17 | 47 | 18 | 14 | 4 | -- |
| b. Children age two to under six years old | 23 | 58 | 9 | 5 | 5 | * |

(ROTATE VERBIAGE IN PARENS)

- 16b. All in all, thinking back over the past several years, would you say your views on the safety of children's over-the-counter cold and cough medicines have become more (negative), more (positive), or would you say they have stayed about the same?

| Parents | Parents of child <6 | |
|----------------|-------------------------------|-----------------------|
| 36 | 35 | More negative |
| 10 | 9 | More positive |
| 52 | 55 | Stayed about the same |
| 1 | * | Don't know |
| * | -- | Refused |
| N=759 | N=572 | |

17. Lately there has been some discussion of the safety and effectiveness of over-the-counter cold and cough medicines for younger children among groups such as the FDA, drug manufacturers, pediatricians, and in the news. Would you say you have heard a lot, some, not too much or nothing at all about this?

| Total | Parents | Parents of child <6 | |
|--------------|----------------|-------------------------------|----------------|
| 28 | 31 | 31 | A lot |
| 36 | 37 | 37 | Some |
| 19 | 18 | 18 | Not too much |
| 16 | 12 | 14 | Nothing at all |
| 1 | 1 | -- | Don't know |
| * | -- | -- | Refused |

(SCRAMBLE ITEMS)

18. As a result of hearing about these discussions on the safety and effectiveness of over-the-counter cold and cough medicines for children, have you done any of the following things in recent weeks, or not? Have you (INSERT), or not?

- a. Talked to friends or fellow parents about this issue
- b. Talked to your child's doctor about this issue
- c. Gone online to learn more about this issue
- d. Talked to a pharmacist about this issue
- e. Stopped using these medications

17/18. Combo Table

| Parents | Parents of child <6 | |
|--------------|---------------------|---|
| 87 | 86 | Have heard discussions of the safety/effectiveness of cold/cough medicines for younger children |
| 44 | 47 | Talked to friends/fellow parents |
| 25 | 28 | Talked to your child's doctor |
| 22 | 21 | Gone online to learn more |
| 13 | 14 | Talked to a pharmacist |
| 30 | 34 | Stopped using these medications |
| 12 | 14 | Have not heard discussions of the safety/effectiveness of cold/cough medicines for younger children |
| 1 | -- | Don't know |
| -- | -- | Refused |
| N=759 | N=572 | |

(ROTATE ITEMS 1 AND 2)

19. Thinking specifically about your child or children who are under age 2, which of the following best describes your reaction to the recent news about the safety and effectiveness of over-the-counter cold and cough medicines:

- 1 You plan to stop giving your children these medicines
- 2 You plan to continue giving your children these medicines
- 3 You haven't decided what you will do
- 4 You have never used these medicines for your child and don't plan to
- 5 (Vol.) Never used but may/will use in the future

7a/17/19. Combo Table based on total parents of children under 2 (N = 254)

| Parents of child <2 | |
|---------------------|---|
| 85 | Have heard discussions of the safety/effectiveness of cold/cough medicines for younger children |
| 16 | Plan to stop giving your children these medicines |
| 20 | Plan to continue giving your children these medicines |
| 26 | Haven't decided what you will do |
| 22 | Have never used these medicines for your child and don't plan to |
| 1 | (Vol.) Never used but may/will use in the future |
| 15 | Have not heard discussions of the safety/effectiveness of cold/cough medicines for younger children |
| -- | Don't know |
| -- | Refused |

(IF RESPONDENT ANSWERED Q.19, READ ALTERNATE VERBIAGE IN PARENS)
 (ROTATE ITEMS 1 AND 2 IN SAME ORDER AS Q.19)

20. Thinking specifically about your child or children who are aged 2 to under six, which of the following best describes your reaction to the recent news about the safety and effectiveness of over-the-counter cold and cough medicines:
 (Thinking specifically about your child or children who are aged 2 to under six, which of the following best describes your reaction?)

7b/17/20. Combo Table based on total parents of children 2 to < 6 (N=473)

Parents of child 2 to < 6

| | |
|-----------|---|
| 85 | Have heard discussions of the safety/effectiveness of cold/cough medicines for younger children |
| 15 | Plan to stop giving your children these medicines |
| 30 | Plan to continue giving your children these medicines |
| 28 | Haven't decided what you will do |
| 9 | Have never used these medicines for your child and don't plan to |
| 1 | (Vol.) Never used but may/will use in the future |
| 15 | Have not heard discussions of the safety/effectiveness of cold/cough medicines for younger children |
| -- | Don't know |
| -- | Refused |

(ROTATE 1-3/3-1)

(P.N. – WHEN ROTATING 1-3, USE 1ST VERBIAGE IN PARENS; WHEN ROTATING 3-1 USE 2ND VERBIAGE IN PARENS)

21. If the FDA were to put a label on children's cold and cough medicines saying that they have been found to be safe but there is no evidence that they actually work in relieving children's cold symptoms, would you (READ LIST)?

Parents Parents of child <6

| | | |
|--------------|--------------|--|
| 27 | 22 | Probably NOT use (these medicines/them) for your child |
| 45 | 49 | Probably use them if your doctor recommends them for your child |
| 27 | 28 | Probably use (them/these medicines) if they seemed to work for your family |
| 1 | 1 | Don't know |
| 1 | * | Refused |
| N=759 | N=572 | |

DEMOGRAPHICS

(ROTATE ITEMS IN PARENS)

22. Generally speaking, do you usually think of yourself as: (a Democrat), (a Republican), an independent or what?

INTERVIEWER IF REFUSED READ: We understand and respect that this information is private, we ask only for research purposes, and all your answers are confidential.

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|------------------|
| 31 | 28 | 25 | Democrat |
| 23 | 26 | 25 | Republican |
| 31 | 33 | 35 | Independent |
| 2 | 2 | 2 | Do not vote/None |
| 1 | * | 1 | Something else |
| 6 | 6 | 7 | Don't know |
| 5 | 4 | 5 | Refused |

23/23a. What is your age?

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|------------|
| 20 | 19 | 34 | 18-29 |
| 39 | 67 | 58 | 30-49 |
| 23 | 11 | 6 | 50-64 |
| 16 | 2 | 2 | 65+ |
| -- | -- | -- | Don't know |
| 1 | * | * | Refused |

23b. What is your current employment status – do you work full-time for pay, work part-time for pay, or are you a homemaker, a student, retired, currently unemployed, or what?

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|------------------------|
| 60 | 71 | 63 | Employed (NET) |
| 50 | 62 | 54 | Work full-time for pay |
| 10 | 9 | 9 | Work part-time for pay |
| 10 | 18 | 26 | A homemaker |
| 4 | 2 | 4 | A student |
| 16 | 2 | 2 | Retired |
| 5 | 2 | 3 | Currently unemployed |
| 2 | 2 | 2 | Disabled |
| 2 | 2 | * | Other |
| -- | -- | -- | Don't know |
| 1 | 1 | 1 | Refused |

24. Are you of Hispanic origin or background?
25. Are you White Hispanic or Black Hispanic?
26. Are you white, black, or some other race?

Race Summary Table

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|----------------------|
| 67 | 61 | 57 | White (non-Hispanic) |
| 11 | 12 | 12 | Black (non-Hispanic) |
| 3 | 1 | 2 | Asian (non-Hispanic) |
| 13 | 20 | 23 | Hispanic (NET) |
| 9 | 14 | 16 | White Hispanic |
| 3 | 3 | 4 | Black Hispanic |
| 1 | 2 | 3 | Hispanic unspecified |
| 3 | 4 | 5 | Some other race |
| * | -- | -- | Don't know |
| 3 | 2 | 1 | Refused |

27. What is the last grade of school you completed?
28. (Asked of those who say they graduated college) Was that an associate's degree, a bachelor's degree, or what?

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|-------------------------------|
| 4 | 5 | 6 | 8 th grade or less |
| 11 | 7 | 11 | Some high school |
| 31 | 29 | 29 | Graduated high school |
| 27 | 29 | 25 | Some college |
| 13 | 15 | 14 | College graduate |
| 13 | 13 | 13 | Post-graduate training |
| * | * | * | Don't know |
| 2 | 1 | 1 | Refused |

29. Are you: (READ LIST)

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|---------------------------------------|
| 56 | 73 | 72 | Married and living with your spouse |
| 7 | 8 | 15 | Living with a partner but not married |
| 2 | 4 | 3 | Separated |
| 8 | 6 | 2 | Divorced |
| 6 | 1 | * | Widowed |
| 17 | 6 | 8 | Never married |
| -- | -- | -- | Don't know |
| 2 | 2 | * | Refused |

30/30a Last year, that is in 2006, what was your total family income from all sources, BEFORE taxes? Just stop me when I get to the right category.

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|----------------------------|
| 14 | 12 | 17 | Less than \$20K |
| 11 | 10 | 13 | \$20K but less than \$30K |
| 8 | 8 | 9 | \$30K but less than 40K |
| 9 | 8 | 9 | \$40K but less than \$50K |
| 9 | 9 | 9 | \$50K but less than \$60K |
| 11 | 15 | 11 | \$60K but less than \$80K |
| 8 | 11 | 10 | \$80K but less than \$100K |
| 12 | 15 | 13 | \$100K or more (NET) |
| 7 | 10 | 8 | \$100 to under \$150K |
| 3 | 2 | 3 | \$150K to under \$200K |
| 2 | 3 | 2 | \$200K or more |
| 5 | 4 | 4 | Don't know |
| 13 | 8 | 5 | Refused |

32. REGION

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|---------------|
| 19 | 18 | 17 | Northeast |
| 22 | 20 | 21 | North central |
| 36 | 36 | 37 | South |
| 22 | 26 | 25 | West |

33. RECORD METRO STATUS FROM SAMPLE:

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|----------|
| 33 | 32 | 29 | Urban |
| 45 | 48 | 49 | Suburban |
| 22 | 20 | 21 | Rural |

D01. RESPONDENT GENDER

| Total | Parents | Parents of child <6 | |
|-------|---------|---------------------|--------|
| 46 | 43 | 45 | Male |
| 54 | 57 | 55 | Female |



HARVARD
School of Public Health

The Henry J. Kaiser Family Foundation

Headquarters

2400 Sand Hill Road
Menlo Park, CA 94025
Phone: (650) 854-9400 Fax: (650) 854-4800

Washington Offices and Barbara Jordan Conference Center

1330 G Street, NW
Washington, DC 20005
Phone: (202) 347-5270 Fax: (202) 347-5274

www.kff.org

Additional copies of this publication (#7725) are available on the
Kaiser Family Foundation's website at www.kff.org.

NPR (National Public Radio) is an internationally acclaimed producer and distributor of noncommercial news, talk, and entertainment programming. A privately supported, not-for-profit membership organization, NPR serves a growing audience of 26 million Americans each week in partnership with more than 860 independently operated, noncommercial public radio stations. Each NPR Member Station serves local listeners with a distinctive combination of national and local programming. With original online content and audio streaming, NPR.org offers hourly newscasts, special features and ten years of archived audio and information.

The Kaiser Family Foundation is a non-profit, private operating foundation dedicated to providing information and analysis on health care issues to policymakers, the media, the health care community, and the general public. The Foundation is not associated with Kaiser Permanente or Kaiser Industries.

Harvard School of Public Health is dedicated to advancing the public's health through learning, discovery, and communication. More than 300 faculty members are engaged in teaching and training the 800-plus student body in a broad spectrum of disciplines crucial to the health and well being of individuals and populations around the world. Programs and projects range from the molecular biology of AIDS vaccines to the epidemiology of cancer; from risk analysis to violence prevention; from maternal and children's health to quality of care measurement; from health care management to international health and human rights.